



# TYPHOON PLUS WITH TORQUE INDICATOR

## BEST PRACTICE FORMULA 2 / FORMULA 3

The first electric wheel gun to be officially used in a motorsport world championship, is now available to the market. The cordless Paoli impact wrench with highest power density has been equipped with an electric system for **MONITORING THE NUT TIGHTENING**. On top of highlighting errors during nut installation, the **TORQUE INDICATOR SYSTEM** allows to have a more consistent value of torque during tightening, leading to **OPTIMISED TYRE CHANGING TIMES** during pit stops. Performance can be further refined with a tailored **CALIBRATION FOR EACH VEHICLE, HUB AND SOCKET UTILISED**.

Product name	<b>TYPHOON PLUS WITH TORQUE INDICATOR</b>
Product code LH Version	A.08.0051
Product code RH Version	A.08.0052
Version	Cordless
Drive shaft	Spline
Weight (battery included)	4,3 kg (9.47 lbs)
Length	253 mm (9.96")
Width	98,5 mm (3.87")
Height	287 mm (11.29")
Voltage	20.0V d.c.
Free speed	1650 rpm
Max torque	1600 Nm (1180 ft-lbs) <i>Tests carried out on hub with M54x3 thread, friction coefficient &lt;0.10 and nut/rim contact surface with 45° cone shape</i>
Amperage	6.0 Ah
<b>ALSO AVAILABLE</b>	
Product name	<b>TYPHOON PLUS WITH TORQUE INDICATOR SQUARE DRIVE</b>
Drive shaft	Square Drive
Product code LH Version	A.08.0049
Product code RH Version	A.08.0050

### HIGHLIGHTS

- Led torque indicators
- Calibration for each vehicle, hub and socket utilised
- Optimised tyre changing times

### AVAILABLE VERSIONS



**Fast left hand version:**  
loosens nuts tightened clockwise faster



**Fast right hand version:**  
loosens nuts tightened anticlockwise faster

OPTIONAL LOG IN DEVICE TO  
DOWNLOAD PIT STOP EVENT



LED LIGHT ON THE WORKING  
POINT DURING USE

ERGONOMIC HANDLE

LITHIUM ION BATTERY 20.0 V D.C.

FAST BATTERY CHARGER

**AVAILABLE  
BATTERY COVER**

Protects the battery from  
impact and prevents its  
unhook.

### APPLICATION VIDEO



Typhoon Plus with  
Torque Indicator  
Application Video



WWW.PAOLI.NET | SALES@PAOLI.NET | +39.0522.364511