

PIT EQUIPMENT — CASELINER®

MAGSEAM — GANTRIES — RACEFLOOR — POWERHOODS



MAGSEAM SEAMLESS WALLING

MAGSEAM seamless wallings is a special seamless surface panels system using unique technology of magnetic attachment. The main advantages of this system are: elegant design which will attract all the attention to your team, variability and time-saving assembly, overall stability of the system due to patented elements which are holding each panel, possibility of full-area printing or colour on demand. Magseam system is supplied on demand with special flight case box for each project. Complete projects including the custom tv monitors, helmet dryers and other elements are on demand.

GANTRIES

GANTRIES are modular truss structure elements with solid conical connectors. Extremely fast connection for quick, simple and secure assembly. They are used as support for lighting, screens and cables, interior and exterior applications. Caseliner gantries are available in three versions Bi-System (duo), Tri-System (trio) and Quattro-System with certified 50mm tube. Build with us your project.



RACEFLOOR

RACEFLOOR has been developed for all your racing flooring needs. The tiles are easy and quick to install due to an ingenious click lock system, you can combine any colour of tiles with each other. Racefloor is very flexible and strength and it can be used on any flat base, both indoors and outdoors. It is very proof, durable and UV stable flooring with a very good resistance to chemical pollution.

Code B.39.09.0004: Racefloor 1 mq - 1000x1000 mm

Code B.48.0013: Flight Case



POWERHOODS

POWERHOODS are made for lighting in the race boxes, lighting over the race car, motorbike or in the workshops. These light pods are suspended above a vehicle and act as a life support machine supplying the following outputs with zero effect on valuable floor space. POWERHOOD provides high luminosity together with a practical and elegant design. It is possible to be equipped with air distribution and power plugs following customer request and specifications.

Code B.39.11.0001: Powerhood S200-32 (400V/32A)

Code B.39.11.0002: Powerhood S200-16 (230V/16A)

FASTSEAM TEXTILE WALLING — CASELINER®



FASTSEAM® TEXTILE WALLING

Are you looking for a fast and cost-effective solution to enclose your booth? And as a bonus, do you want the flexibility to change designs quickly to meet your sponsors' needs or adapt to new design trends? We have the perfect solution for you: FASTSEAM® TEXTILE SEAMLESS WALLING. Setup and dismantling takes just a few minutes, with everything neatly packed into a transport bag. Featuring a simple aluminum frame and stretch fabric with custom printing, it offers an ideal height of 2.1 m (a common motorsport standard) or 2.3 m, and lengths of 2, 4 or 6 meters. Everything is ready in minutes, making FASTSEAM® the perfect choice for quick and adaptable setups. Supplied with transport bag and white gloves for installing the cover.

**PIT PERCH FORMULA**

PIT PERCH FORMULA is stand on the pit lane for the engineers, timekeepers and team managers. Stainless steel construction, textile roof and side walls with zipper system. It is extremely fast to assemble in 10 minutes. One shelf inside provides support for laptops and monitors. The roof and side parts are fully detachable and can be used up to three variants of using of the side parts. Pit perch can be supplied with platform and transport flight case box, which includes required number of rotating chairs with high back. Chair and monitors are available on demand.

**PIT PERCH ENDURANCE**

PIT PERCH ENDURANCE is designed for 3 engineers. Its design is very elegant, it will attract the attention of your team at the circuit. The basic structure is made of stainless steel tubes with easy connection system. The roof and side parts you can use as the single items, and use it as coming from the climate conditions. Pit perch can be completely closed and protect you from the rain. Very fast installation due to zip-fasteners which are waterproof. Chair and monitors are available on demand.

**LED PIT BOARD CL-15**

LED PIT BOARD CL-15 is an electronic LED information panel that shows information to the drivers who are passing through the pit area. We have developed our pit board with the effort of a team of engineers to offer the best product on the market. Standard LED fonts can be projected in 1,2,3 to 4 lines. Possibility of inserting graphic files depicting logos, signals, instructions, symbols, etc. CL-15 includes standard software for Windows 10 and higher environment. Can be connected with TrackSide software / RaceCTRL and HH Development / HH Timing apps. Our original electro ejection is controlled automatically depending on the position of the car on the track by GPS. You can add any information in real time.

**HELMET BOX**

HELMET BOX Storage for helmets, personal equipment, etc. On request, we can produce any flight case according to your needs. Two modules that join together for transport. Inside it has a total of 18 boxes, which can be supplemented with lockable doors on request. The standard box does not include a door. On request.

- 1270 x 1010x 1565 mm (1 module depth 505mm)
- can be fitted with a locking door.
- can be supplemented with drawers



DATA CASE ONE

Ideal for single-user work. This portable system allows the user to operate with two large 32" monitors FULL HD 110/230V or ULTRA HD 110V/230V, providing an extensive workspace. It stands out for its compactness during transport and modular design, allowing easy expansion with additional cases placed side by side or in sequence according to the user's needs.

- Compact and small transport dimensions
- Simple, foldable designer table
- Minimal space requirements for setup
- Two large 32" monitors FULL HD or ULTRA HD
- Full HDMI connectivity
- Network hub (1x5, optional accessories)
- 1U slot for radio splitter
- Elegant design
- Standard color is black with black hardware



DATA CASE 2

The mobile office DATA CASE 2 is applicable in various fields. The case has locking lids, in which LCD or LCD / TV monitors are placed. A pull-out work surface for keyboard and mouse, printer. Suitable for processing telemetry, mobile offices, etc. The dimensions of the transporting size are 1200 x 605 x 890 mm. All our CASELINER flight cases are built using the best available materials and are designed to give years of hassle-free protection.

TOOLBOXES

CASELINER®

Special transport flight case for tools and spare parts.



TOOLBOX

- 600x600x950 mm (23,62"x23,62"x37,40")
- 5x drawers (1x modular)



TOOLBOX DOUBLE

- Two cases
- Work plate 2000x550 mm (78,74"x21,65")
- As the same as the specifications TOOLBOX CLASSIC



TOOLBOX BIGGER

- 1200x600x1080 mm (47,24"x23,62"x42,51")
- 5x drawers (1x modular)
- 8x PVC boxes



TOOLBOX BIGGER PLUS

- 1200x600x1080 mm (47,24"x23,62"x42,51")
- 5x drawers (1x modular)
- 8x PVC boxes
- Attachable side table 1200 mm (47,24")



TOOLBOX UNI DB2

- 1270x1010x1565 mm (50"x39,76"x61,6")
- Can be fitted with a locking door
- Can be supplemented with drawers



TOOLBOX UNI B4

- 1800x650x1010 mm (70,86"x25,59"x39,76")
- 12x PVC boxes



BEVERAGE CATERING

Beverage box with a refrigerator for cooling of the drinks. The right side is space for supplies, glasses and other material

- 1500x600x1080 mm (59,05"x23,62"x42,51")
- Double sliding doors fridge



CATERING BEVERAGE-T

CATERING BEVERAGE box with a refrigerator for cooling drinks. On the left side of the box there are two drawers and one large compartment, for example for storing a coffee machine. Dimensions: 1500 × 600 × 1080 mm in transport version. The box is equipped with 8 heavy-duty castors. The front lid is 2/3 split and serves as a table for catering use. This product is only available with 230V appliances for the EU region.



CATERING UNI DF2 BW

CATERING DF2 universal combination set, including 100% pull-out drawers and a medium-sized fridge. Complete with two side tables. Suitable for any team. Features: 5L fridge, 3× drawers, 2× tables with folding legs, electrical distribution 220/230V. This product is only available with 230V appliances for the EU region.

REFUEILING STATIONS — CASELINER®

FOR RACING APPLICATIONS



PIT TROLLEY ENDURANCE

PIT TROLLEY ENDURANCE is all new conception with elegant solution in refuelling area, air distribution and complete distribution of tank hoses at PIT STOP area. Trolley has many of storage areas, including practical entry / rear doors to each sections. Including holder area for PAOLI regulators. On request with new double carbon rotary boom CB400. (or inox single arm IB100, or add second arm IJ100C)

- Aluminium construction
- 2080x1080x1100 mm (81,88"x 42,51"x 43,30")
- Holder for PAOLI F1, F2, F4 and F5 regulators



PIT TROLLEY FIA

Basic pit trolley for RF200 system, placing of the air pressure bottles and air pressure regulators. We provide various versions of design - positioning of RF200 and rotary boom longitudinal or transverse position toward to passage in the pit lane. On request with new double carbon rotary boom CB400 (or inox single arm IB100, or add second arm IJ100C).

- Flight case construction with strengthening floor steel frame
- 2250x1050x1190 mm (78,74"x39,37"x41,33")
- 4 wheels
- Holder for 3 cylinders (av. 233mm type)



BOTTLE CAGE BC-PRO

Special holder for the rotary arms and two big cylinders. It is primarily located for GT CHALLENGE SPRINT, DTM, ADAC GT MASTER, and other similar series, where no petrol refueling stop is required at the PIT STOP.

- High-quality stainless steel, including stabilizing legs.
- Side holder for PAOLI gun and AIR LANCE on demand
- Rotary arm IJ100, CB200, CB400 on demand

REFUELING STATIONS - **CASELINER**

FOR TEST APPLICATIONS



ROTARY BOOM INOX IB100S

New split horizontal arm that makes it easier to transport. It can also be used without the add-on part behind the rotary joint. As an option, you can add light bars for LED lighting above the car. Or add a second IJ100CX rotating arm with a modified arrangement of the rotating arms in between. Rotating through 360°.

- Our patent design for rotary system
- Suitable for high pressures 25-30bar
- Stainless steel design of all components
- 1700mm rotary arm
- Total arm length 4000mm, (divisible by adding 1500mm)



DUMPCAN/RAIN CAN

- DUMPCAN DC-6S (6L for Staubli SAF45.5000/DN)
- DUMPCAN DC-9S (9L for Staubli SAF45.5000/DN)
- DUMPCAN DC-6K (6L for Krontec RFC-88DN)
- DUMPCAN DC-9K (9L for Krontec RFC-88DN)
- DUMPCAN DC-9C (9L – with PP20M drain plug)
- REDUCTION D08/SPT12



RF200 REFUELING RIG

REFUELING RIG RF200 is designed for a fast refill during endurance races, with a capacity of 200 l / 52,83 gal according to the FIA AP. " J ", 252-7 or FIA-WEC, with fuel restrictors, closing valves DEADMAN with a recurrent spring and airing system.

New weighing system CWU 300 under RF200 with electronic info display with Bluetooth conn.


- RF200-FIA (GT3, and other FIA rules)
- RF200-FIA-WEC (ELMS, Asia LMS)

FUEL MEASURING SYSTEM - **CASELINER**

RMS200 FUEL MEASURING SYSTEM

A system to continuously monitoring and recording the refuelling process of a race car and monitoring the fuel level in the RF200 refuelling tank. The system uses state-of-the-art ultrasonic measurement technology in compliance with current FIA regulations. Weights for fuel rigs are not required. The RM-200 system is modular, with the possibility of using the main BASIC unit and an external unit for direct control of the refuelling phase by a second mechanic who has an overview of the amount of fuel filled and the time measured in the process. The RMS-200 can be used in any racing series. It can be mounted directly on the RF200 brackets in three positions from the left, right or under the pipe. The TIMER module will be placed on Stäubli SAF, Krontec RFC or PP20M valves.

- RMS-200-M / MAIN UNIT / fuel sensor, DumpCan sensor / code 0152021801
- RMS-200-T / TIMER UNIT / code 0152021802
- RMS-200-ST HOLDER / holder for Staubli SAF valve / code 0152022851
- RMS-200-KR HOLDER / holder for Krontec RFC valve / code 0152022852
- RMS-200-PP HOLDER / holder for PP20M valve / code 0152022853



REFUELING BOTTLE — CASELINER®



REFUELLING BOTTLE CL25 & TROLLEY CL25F

Caseliner Refuelling Bottle CL25 is a standard 25L tank and one PP20M valve.



REFUELLING BOTTLE CL25-45 & TROLLEY CL25F

Caseliner Refuelling Bottle CL25 is a standard 25L tank and one PP20M valve.



STAUBLI TILTED BOTTLE & TROLLEY ST25

25 L Refueling Bottle STAUBLI – SAF45.1025/RO/JKV. Enables quick and easy refueling. Heavy-duty construction.



KRONTEC BOTTLE & TROLLEY KR25

25 L Refueling Bottle KRONTEC RFC-89-K-FL or KRONTEC RFC-89-K-FL-45. Enables quick and easy refueling. Heavy-duty construction.

TYRE HEATER RACK — CASELINER®



TYRE HEATER RACK (STANDARD)

Designed for the endurance racing, tyre heater rack can pre-heat up to three sets of tyres. The frame is constructed in two sections from stainless steel. The warm is kept within the rack by a strong PVC silver/thermo AIRTEX awning, which can be unzipped in two individual sections.

Transport flight case is optional.

- Full demountable
- 2000 mm width (78,74")
- 2000 mm high (78,74")
- 1000 mm depth (39,37")

Code B.39.05.0002: Diesel heating device



TYRE HEATER RACK ENDU2 / TYRE HEATER RACK ENDU4

Special warm box designed for heating of tyres during the endurance races. Tyre heater rack can pre-heat 2 or 4 sets of tyres. Easy to assemble by aluminium construction with a textile covering AIRTEX and internal thermal material that keeps heat well. Two or four chambers, independently heated with a mechanical controlled temperature level. Two zippered section for access to the tires with a small inspect window control and measure the actual temperature .Transport flight case is optional, for all parts, incl. heater Master.

ENDU 2 (Code B.39.05.0004)

- Full demountable
- 1920 mm width (75,59")
- 1900 mm high (75,59")
- 980 mm depth (38,58")

ENDU 4 (Code B.39.05.0006)

- Full demountable
- 3800 mm width (149,60")
- 1900 mm high (75,59")
- 980 mm depth (38,58")

TYRE TROLLEY — CASELINER®

TYRE TROLLEY PRO SERIES

High quality trolley made from stainless steel for transport and storage of tyres. Accessories on demand.

- Wheels 160 mm (6,29") - 900 kg
 - Outer high 1500 mm (59,05")
 - Outer depth 650 mm (25,59")
 - Horizontal beams 1300 or 1500 mm
- Code B.39.05.0013: PRO140
Code B.39.05.0014: PRO160



TYRE BOARD

Special plate TYRES BOARD for stocking and short distance transport of the wheels.

- Diam. 620mm / 25,19"
- 4 wheels (2x rotary + 2x with brake)
- Black color
- 15 mm plywood
- Max. load weight 300 kg

TYRES BOARD SR4-18

Tyre board fitted with 4 rim rings for secure wheel placement.



TYRE TROLLEY HEATING

Folding trolley made from stainless steel designed to heat the tyres with warm up quilts.

- 4x wheels 80mm (3,14")
- Folding plate with quick release



TYRE TROLLEY FORMULA

High quality trolley made from stainless steel for transport of tyres. Folding plate.

- 2x wheels 200mm / 7,87"
- Folding handle
- High 1400mm / 55,11"



— BELT BARRIERS — MECHANIC CHAIRS — WHEEL BATH —



BELT BARRIERS

Crowd control belt barriers with internal mechanism equipped with centrifugal belt-breaking system. Belt length is 2,3 m. Available colors: black (B.39.10.0004), grey (B.39.10.0001), blue (B.39.10.0002) and red (B.39.10.0003). Transport flight cases (B.48.0014), bags and printing are optional.

- Height 1000 mm / 39,37"
- Belt length 2,3 m / 90,55"
- Total weight approx. 12 kg / 26,45 lb



MECHANIC CHAIRS

Stainless steel mechanic's chair with 4 wheels and tools area.

- 4x double-wheel
- 30 mm stainless steel
- Black plywood upholstered seat
- Tools area




WHEELS BATH

It is ideal for easy cleaning tires and wheels. It is fitted with a pair or two of bearing rollers for easy rotation of the wheel during cleaning.

Available:

- » B.39.07.0001: wheel bath single
- » B.39.07.0002: wheel bath double

- Material stainless steel
- Removable legs, one adjustable leg
- Two adjustable rotary rollers.



BELT BARRIERS ECO VERSION

We now offer an economical solution for belt barriers in two ECO versions. Both options are designed to meet different customer needs and budgets. For both barrier types, we also provide an economical flight case for easy transport and storage.

Black tape
Height: 925 mm
Belt length: 2.5 m
Weight: 8 kg