


PIT EQUIPMENT

AIRLANCE



	PRODUCT NAME	PRODUCT CODE	THREAD	OPERATING PRESSURE	SIZE
A		B.37.03.0006	3/8" BSP female	100 bar	
B		B.37.03.0007	M16x1,5 male 3/8" BSP male		
C	LL-03	B.37.01.0001	M16 x 1,5 female	0-40 bar	L 216 x D 40 mm
D	LL-05	B.37.01.0005	M16 x 1,5 female	0-40 bar	L 235,62 x D 40 mm
E	LL-16	B.37.03.0002	D-06 9/16-18 UNF	0-40 bar	L 86 mm
F	LL-13	B.37.03.0001	D-06 9/16-18 UNF	0-40 bar	L 81 mm
G	LL-16 plus	B.37.03.0003	D-06 9/16-18 UNF	0-40 bar	L 86 mm
H		D.04.06.0025	3/8" BSP male		
I	JAC 06.1102	B.37.01.0002	3/8" BSP female	15-40 bar	L 130 x D 48 mm
L	JAC 06.5655	B.37.03.0004	D-06	15-40 bar	L 102 mm
M	JAC 06.4655	B.37.03.0005	D-06	15-40 bar	L 83 mm



DIGITAL TORQUE WRENCHES



FEATURES

- Torque accuracy: $\pm 2\%$
- Torque/Angle accuracy: $\pm 2\%$
- Large LCD graphic display with high contrast and enhanced characters for easy-to-read figures.
- Function keys: just four buttons, in an ergonomic position, for an easy access to all the functions.
- Peak hold and track mode direct readings.
- Tolerance range adjustment both on torque and angle.
- Memory up to 900 values.
- Optical signals through 3 leds, and acoustical signal with buzzer.
- Clockwise and anticlockwise (CW and CCW) readings.
- 4xAA batteries.
- User tightening sets definition.
- Angle and Torque Preset.
- Different selectable languages.
- Auto switch-off.
- Nm, Kg m, Lbf in, Lbf ft.
- Menu driven
- Clock.

PRODUCT NAME	23000-DGT	2600-DGT	2400-DGT
PRODUCT CODE	B.35.0002	B.35.0003	B.35.0004
CAPACITY	100-1000 Nm	80-800 Nm	20-200 Nm
DRIVE	Ratchet 1"	Ratchet 3/4"	Ratchet 1/2"
LENGTH	1340 mm	1100 mm	512 mm
WEIGHT	6,60 kg	4,40 Kg	1,25 kg
ACCESSORIES	USB data transfer kit (Product code: B.35.0011)		

TORQUE WRENCHES WITH RATCHET



FEATURES

- Fast and easy setting.
- Long life accuracy and repeatability.
- Ergonomic handle.
- It doesn't need to turn back to the minimum scale value after being used.
- Quick and precise slide adjustment by unscrewing the knob and guiding the slider on the scale to the required value.
- With graduated scale in Nm and Lbf.ft.
- Dual signal when the set torque is reached: acoustical click and effort decrease.
- Guaranteed accuracy $\pm 3\%$ in accordance with EN ISO 6789:2003.


PRODUCT NAME	300	330	350
PRODUCT CODE	B.35.0008	B.35.0009	B.35.0010
CAPACITY	40-200 Nm 30-150 lbf.ft	160-800 Nm 120-590 lbf.ft	200-1000 Nm 150-750 lbf.ft
	1/2"	3/4"	3/4"
LENGTH	450 mm	1180 mm	1340 mm
WEIGHT	1,20 kg	6,70 kg	7,40 kg

DIAL TORQUE WRENCHES



FEATURES

- Left and right hand use.
- Precise tightening achieved by the torsion bar system.
- Dual needle: pointer needle and memory needle.
- The small head allows torque application even in narrow areas.
- Reading scale in Nm/Lbf.in or Nm/Lbf.ft.
- Accuracy $\pm 4\%$.
- Traceable calibration certificate through accredited laboratories.
- Led and buzzer (only for 7000 model)

PRODUCT NAME	7000	800	700
PRODUCT CODE	B.35.0005	B.35.0006	B.35.0007
CAPACITY	300-1500	80-400	40-200
STEP	20 Nm	5 Nm	2,5 Nm
	1"	1/2"	1/2"
LENGTH	1956 mm (including extension)	559 mm	559 mm
WEIGHT	9,072 kg	1,361 kg	1,361 kg



MUGELLO



CERTIFICATION ECE 22-06

- Demi jet shell in ultra-resistant ABS with triple layer scratch-resistant and UV-resistant painting.
- Retractable sun visor and second transparent goggle visor (included with the helmet).
- The interior is totally removable and washable and has a slot for the Bluetooth system.
- Microfibre fabric with hypoallergenic treatment and leather/eco-leather finishes.
- Closing with micrometric system.

PRODUCT NAME	PRODUCT CODE	SIZE
MUGELLO	B.38.04.02.0001	M
	B.38.04.02.0002	L
	B.38.04.02.0003	XL

DAYTONA



- Demi-jet shell in ultra-resistant ABS with triple-layer scratch-resistant and UV-resistant paint.
- Retractable chrome visor with external movement lever.
- Choice of external scratch-resistant visor: goggle or long.
- Two large air vents and their covers.
- Removable and washable interior with provision for Bluetooth system.
- Microfibre fabric with hypoallergenic treatment and leather/eco-leather finishes.
- Closure with quick release micrometric system.

CERTIFICATION ECE 22-06

PRODUCT NAME	PRODUCT CODE	SIZE
DAYTONA	B.38.04.02.0004	M
	B.38.04.02.0005	L
	B.38.04.02.0006	XL



B.39.04.0001

PROFESSIONAL TYRE SCRAPER – TS-03

This professional tyre scraper removes pick and debris with ease leaving a smooth undamaged surface and prolonging the life of the tyres.

The tyre scraper has now been redesigned to make the process more effective and efficient.

- 2000W output – 100 to 600 degree temperature range
- 300-600l/min maximum airflow
- With a moulded handle for user comfort
- Adjustable handle and blade position to suit the user
- Integrated heat gun with variable temperature and fan speed
- Ergonomically design to increase productivity
- Suitable for all forms of racing from karting to F1



FUEL BOWSER

A stainless steel and aluminium fuel transfer bowser which has a 100L or 200L capacity, a 20L per minute bi-directional pump with automatic full tank pump shut off and is built with ATEX approved components.

- Storage cupboard for fuel lines and charging cable
- Dash 12 fuel lines - suitable for E20 & high octane fuels. Optional dry break fittings
- Mass and temperature display and automatic speed controller
- Anti-static braked castors
- Wi-Fi enabled
- 10" touch screen

GLOVES



LASER TG-3

Laser TG-3 is the top of the range Mechanic glove developed with the crew members of most important teams in WEC and FIA homologated.

This model has many technical details as the anti-impact knuckles pad.

Total padded wrist strap that protect the crew during the rapid tires change.

Super grip suede leather appreciation into the palm to increase heat protection and a specific silicon area for the wheel gun operations.

TECHNICAL DETAILS:

- Back: Single layer
- Palm: Superthin
- Internal Stitching
- Suede leather palm insert for heat protection
- Silicon Wheel gun protection
- Knuckles protection
- Padded wrist strap
- Precurved design
- Printed logos
- Homologation: FIA 8856-2018

COLOR	PRODUCT CODE	SIZE
BLACK	B.38.01.03.0001	TG.9
	B.38.01.03.0002	TG.10
	B.38.01.03.0003	TG.11
	B.38.01.03.0004	TG.12
	B.38.01.03.0005	TG.13
YELLOW	B.38.01.03.0006	TG.9
	B.38.01.03.0007	TG.10
	B.38.01.03.0008	TG.11
	B.38.01.03.0009	TG.12
	B.38.01.03.0010	TG.13



B.26.0040

SUPPORT FOR WHEEL GUNS

Stainless steel support for electric and pneumatic wheel guns.

Thanks to a central pin, available in 3 different sizes to be compatible with different sockets, the wheel gun remains standing for quick and comfortable operator grip.